

AMENDMENTS TO THE CLAIMS

1-9. (Cancelled)

10. (Original) A method of forming memory cells in a programmable conductor random access memory (PCRAM) comprising:

- (a) forming a plurality of electrodes;
- (b) forming a layer of chalcogenide glass;
- (c) forming a layer of silver selenide adjacent to the layer of chalcogenide glass;
- (d) forming a mask pattern over the layer of silver selenide;
- (e) implanting unmasked portions of the layer of silver selenide with oxygen;
- (f) removing the mask pattern;
- (g) annealing the layer of implanted silver selenide such that the layer is essentially free of selenium oxide thereby forming silver-rich regions of silver selenide; and
- (h) patterning to define cells, where patterning selectively removes unenriched regions of silver selenide.

11. (Original) The method as defined in Claim 10, further comprising repeating (d) to (g) to further increase an amount of silver in the silver-rich regions of silver selenide.

12. (Original) The process as defined in Claim 10, further comprising forming electrodes in a cross-point configuration.

13. (Original) The process as defined in Claim 10, wherein the layer of chalcogenide glass is formed before forming the layer of silver selenide.

14. (Original) The process as defined in Claim 10, wherein the layer of chalcogenide glass is formed after forming, implanting, annealing, and patterning the layer of silver selenide.

15. (Cancelled).

16. (Currently Amended) ~~The process as defined in Claim 15, wherein removing the selected amount of chalcogenide further comprises:~~ A process to increase a ratio of silver to a chalcogenide material in a composition of silver chalcogenide, comprising:

providing silver chalcogenide; and

removing a selected amount of chalcogenide from the silver chalcogenide by implanting oxygen into the silver chalcogenide[[:]] and annealing the oxygen-implanted silver chalcogenide.

17. (Original) The process as defined in Claim 16, further comprising repeating implanting and annealing for a predetermined number of times to further increase the ratio of silver to chalcogenide.

18. (Original) The process as defined in Claim 16, wherein the silver chalcogenide is selected from the group consisting of silver selenide, silver telluride, and silver sulfide.

19. (Original) The process as defined in Claim 16, wherein the silver chalcogenide is silver selenide.